

<b>Notice of Allowability</b>	Application No.	Applicant(s)
	10/616,149	BEAUBOEUF, SEYMOUR
	Examiner	Art Unit
	Anthony J. Green	1755

-- **The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1.  This communication is responsive to the application submitted on 7/10/03 and interview 11/09/04.
2.  The allowed claim(s) is/are 1-14 and 18.
3.  The drawings filed on \_\_\_\_\_ are accepted by the Examiner.
4.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a)  All
  - b)  Some\*
  - c)  None
  1.  Certified copies of the priority documents have been received.
  2.  Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.


Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5.  A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6.  CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - (a)  including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
    - 1)  hereto or 2)  to Paper No./Mail Date \_\_\_\_\_.
  - (b)  including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7.  DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1.  Notice of References Cited (PTO-892)
2.  Notice of Draftsperson's Patent Drawing Review (PTO-948)
3.  Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date 07/10/03
4.  Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5.  Notice of Informal Patent Application (PTO-152)
6.  Interview Summary (PTO-413),  
Paper No./Mail Date 11/09/04.
7.  Examiner's Amendment/Comment
8.  Examiner's Statement of Reasons for Allowance
9.  Other \_\_\_\_\_.

  
Anthony J. Green  
Primary Examiner  
Art Unit: 1755

### **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Yi Li on 09 November 2004.

The application has been amended as follows:

#### **IN THE SPECIFICATION:**

On page 5, line 19, the phrase "xxx (to xx)" has been deleted and replaced with the phrase: -- DD253549 A3 to Preidel et al.--.

#### **IN THE CLAIMS:**

In claim 12, lines 3-4, the phrase "a pre-measured amount of a cement with a pre-measured amount" has been deleted and replaced with the phrase: -- from about 12%(v/v) to about 22%(v/v) of a total of solid contents of a cement with from about 51%(v/v) to about 59% (v/v) of said total solid contents --.

In claim 12, line 4, the term "an" has been deleted and replaced with -- a --.

In claim 12, line 6, the phrase "a pre-measured amount of" has been deleted.

In claim 12, line 8, the phrase "a pre-measured amount" has been deleted and replaced with the phrase: -- from 22%(v/v) to about 33%(v/v) of said total solid contents --.

In claim 12, line 9, the term "an" has been deleted and replaced with -- a --.

Claims 15-17 have been canceled.

In claim 18, line 2, the phrase "claim 17" has been changed to -- claim 12 --.

### REASONS FOR ALLOWANCE

2. The following is an examiner's statement of reasons for allowance:


The prior art of record, which is the most pertinent art found, fails to teach and/or fairly suggest the instant invention. While compositions comprising the same and/or similar ingredients as instantly claimed are known in the prior art, the particular amounts recited in the claims are not taught and/or suggested by the prior art. Accordingly the instant claims are deemed to be allowable.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Anthony J. Green whose telephone number is 571-272-1367. The examiner can normally be reached on Monday-Thursday 6:30-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mark L. Bell can be reached on 571-272-1362. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Anthony J. Green  
Primary Examiner  
Art Unit 1755

ajg

November 09, 2004